#### **EXHIBIT 7**

U.S. Department of Health and Human Services Health Care Financing Administration

Form HCFA-R245B Approved 6/99 OMB NOs. 0938-0760 and 0938-0761

### **Outcome and Assessment Information Set (OASIS-B1)**

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection are 0938-0760 and 0938-0761. The time required to complete this information collection is estimated to average 29 minutes per response including the time to review instructions, search existing data resources, gather the data needed, and complete, review and report the information collection. If you have any comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: HCFA, 7500 Security Boulevard, Baltimore, Maryland 21244-1850, Mail Stop N2-14-26 and to the Office and Management and Budget, Washington, D.C. 20503.

#### **FOLLOW-UP VERSION**

Items to	o be Used at this Time PointM0010-M010 M0280-M038	00, M0150, M0200-M0220, M0250, 00, M0410-M0840
CLINI	CAL RECORD ITEMS	
(M0010)	Agency Medicare Provider Number:	
(M0012)	Agency Medicaid Provider Number:	
	Branch Identification (Optional, for Agency Use) (M0014) Branch State: (M0016) Branch ID Number:(Agency-assigned)	
(M0020)	Patient ID Number:	
(M0030)	Start of Care Date://	
(M0032)	Resumption of Care Date://	□ NA - Not Applicable
(M0040)	Patient Name:	
(First)	(MI) (Last)	(Suffix)
(M0050)	Patient State of Residence:	
(M0060)	Patient Zip Code:	
(M0063)	Medicare Number: (including suffix)	□ NA - No Medicare
(M0064)	Social Security Number:	☐ UK - Unknown or Not Available
(M0065)	Medicaid Number:	☐ NA - No Medicaid
(M0066)	Birth Date://	
(M0069)	Gender:	
	· · · · · · · · · · · · · · · · · · ·	
(M0072)	Primary Referring Physician ID:	☐ UK – Unknown or Not Available
(M0080)	Discipline of Person Completing Assessment:  ☐ 1-RN ☐ 2-PT ☐ 3-SLP/ST ☐ 4-OT	

© 1998, Center for Health Services and Policy Research, Denver, CO OASIS-B1 FU (10/98)

(M0090) Date Assessment Completed://
(M0100) This Assessment is Currently Being Completed for the Following Reason:
Start/Resumption of Care  1 - Start of care—further visits planned  2 - Start of care—no further visits planned  3 - Resumption of care (after inpatient stay)
Follow-Up  4 − Recertification (follow-up) reassessment [Go to M0150]  5 − Other follow-up [Go to M0150]
Transfer to an Inpatient Facility  6 - Transferred to an inpatient facility—patient not discharged from agency [Go to M0830]  7 - Transferred to an inpatient facility—patient discharged from agency [Go to M0830]  Discharge from Agency — Not to an Inpatient Facility  8 - Death at home [Go to M0906]  9 - Discharge from agency [Go to M0150]  10 - Discharge from agency—no visits completed after start/resumption of care assessment [Go to M0906]
DEMOGRAPHICS AND PATIENT HISTORY
(M0150)       Current Payment Sources for Home Care: (Mark all that apply.)         □ 0 - None; no charge for current services         □ 1 - Medicare (traditional fee-for-service)         □ 2 - Medicaid (HMO/managed care)         □ 3 - Medicaid (traditional fee-for-service)         □ 4 - Medicaid (HMO/managed care)         □ 5 - Workers' compensation         □ 6 - Title programs (e.g., Title III, V, or XX)         □ 7 - Other government (e.g., CHAMPUS, VA, etc.)         □ 8 - Private insurance         □ 9 - Private HMO/managed care         □ 10 - Self-pay         □ 11 - Other (specify)
<ul> <li>(M0200) Medical or Treatment Regimen Change Within Past 14 Days: Has this patient experienced a change in medical or treatment regimen (e.g., medication, treatment, or service change due to new or additional diagnosis, etc.) within the last 14 days?</li> <li>□ 0 - No [If No, go to M0250]</li> <li>□ 1 - Yes</li> </ul>
(M0210)       List the patient's Medical Diagnoses and ICD code categories (three digits required; five digits optional) for those conditions requiring changed medical or treatment regimen (no surgical or V-codes):         Changed Medical Regimen Diagnosis       ICD         a.       (
C

(M0220)	Con	diti	ons Prior to Medical or Treatment Regimen Change Within Past 14 Days: If this patient
	-		nced a change in medical or treatment regimen within the past 14 days, indicate any conditions
	whic	ch e	xisted <u>prior to</u> the change in medical or treatment regimen. (Mark all that apply.)
	2 3 4 5 6		
(M0250)	The	rapi	ies the patient receives at home: (Mark all that apply.)
	1 1	_	Intravenous or infusion therapy (excludes TPN)
	2	-	Parenteral nutrition (TPN or lipids)
	3	-	Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the
	4	-	alimentary canal) None of the above
(M0280)	Life	Ex	pectancy: (Physician documentation is not required.)
` /		_	Life expectancy is greater than 6 months
			Life expectancy is 6 months or fewer
(\$40000)			
(MU29U)			sk Factors characterizing this patient: (Mark all that apply.)
			Heavy smoking Objective
			Obesity Alcohol dependency
			Drug dependency
	5	-	None of the above
LIVIN	G A	\R	RANGEMENTS .
(M0300)	Cur	rent	Residence:
	1	-	Patient's owned or rented residence (house, apartment, or mobile home owned or rented by patient/couple/significant other)
	2	-	
		-	Boarding home or rented room
			Board and care or assisted living facility
	5	-	Other (specify)
(M0310)	Stru	ıctu	ral Barriers in the patient's environment limiting independent mobility: (Mark all that apply.)
	0	-	None
	1	-	Stairs inside home which <u>must</u> be used by the patient (e.g., to get to toileting, sleeping, eating areas)
	2	_	Stairs inside home which are used optionally (e.g., to get to laundry facilities)
	_	-	Stairs leading from inside house to outside
	4	-	Narrow or obstructed doorways

(M0320)	Safety F	lazards found in the patient's current place of residence: (Mark all that apply.)
	3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 -	None Inadequate floor, roof, or windows Inadequate lighting Unsafe gas/electric appliance Inadequate heating Inadequate cooling Lack of fire safety devices Unsafe floor coverings Inadequate stair railings Improperly stored hazardous materials Lead-based paint Other (specify)
(M0330)	Sanitati	on Hazards found in the patient's current place of residence: (Mark all that apply.)
	2 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 -	' '
(M0340)	Patient	Lives With: (Mark all that apply.)
	3 - 4 - 5 -	Lives alone With spouse or significant other With other family member With a friend With paid help (other than home care agency staff) With other than above
SUPP	ORTI	VE ASSISTANCE
(M0350)	Assistin	ng Person(s) Other than Home Care Agency Staff: (Mark all that apply.)
	2 -	<b>5</b>

(M0360)		<b>Caregiver</b> taking <u>lead</u> responsibility for providing or managing the patient's care, providing the equent assistance, etc. (other than home care agency staff):
	1 - 2 - 3 - 4 -	Daughter or son Other family member Friend or neighbor or community or church member
(M0370)	How Of	ten does the patient receive assistance from the primary caregiver?
	2 - 3 - 4 - 5 -	Several times during day and night Several times during day Once daily Three or more times per week One to two times per week Less often than weekly
(M0380)	Type of	Primary Caregiver Assistance: (Mark all that apply.)
	2 - 3 - 4 - 5 - 6 -	
<u>SENS</u>	ORY	STATUS
(M0410)	Speech	and Oral (Verbal) Expression of Language (in patient's own language):
	0 -	1 , 9-, 1 , , ,
	1 -	no observable impairment.  Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in
_		in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
	3 -	Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.
	4 -	<u>Unable</u> to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).
	5 -	Patient nonresponsive or unable to speak.
(M0420)	Freque	ncy of Pain interfering with patient's activity or movement:
	1 - 2 -	Patient has no pain or pain does not interfere with activity or movement Less often than daily Daily, but not constantly All of the time
(M0430)	affects t	<b>able Pain:</b> Is the patient experiencing pain that is <u>not easily relieved</u> , occurs at least daily, and the patient's sleep, appetite, physical or emotional energy, concentration, personal relationships, as, or ability or desire to perform physical activity?
	0 -	

# **INTEGUMENTARY STATUS**

(M0440)	Does th	is patient have a <b>Skin Lesion</b> or an <b>Open Wound</b> ? This excludes "C	STO	MIES.	."		
	0 - 1 -	No [ If No, go to <i>M0490</i> ] Yes					
(M0445)	Does th	is patient have a Pressure Ulcer?					
	0 - 1 -	No [ If No, go to <i>M0468</i> ] Yes					
(MC	0450) C	current Number of Pressure Ulcers at Each Stage: (Circle one res	ponse	e for e	ach s	tage.)	
		Pressure Ulcer Stages	Nun	nber o	f Pres	sure	Ulcers
	a)	Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.	0	1	2	3	4 or more
	b)	Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.	0	1	2	3	4 or more
	c)	Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.	0	1	2	3	4 or more
	d)	Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.)	0	1	2	3	4 or more
(MC	(e)	In addition to the above, is there at least one pressure ulcer that capresence of eschar or a nonremovable dressing, including casts?  0 - No 1 - Yes  Stage of Most Problematic (Observable) Pressure Ulcer:	nnot	be ob	serve	d due	to the
Ç		1 - Stage 1 2 - Stage 2 3 - Stage 3 4 - Stage 4 NA - No observable pressure ulcer					
(MC	)464) S	status of Most Problematic (Observable) Pressure Ulcer:					
		<ul> <li>1 - Fully granulating</li> <li>2 - Early/partial granulation</li> <li>3 - Not healing</li> <li>No observable pressure ulcer</li> </ul>					

MU468	<b>s)</b> D	oes t	nis p	atie	nt nave a <b>Stasis Uicer</b> ?
		0 - 1 -			f No, go to <i>M0482</i> ]
	(M04	70)	Curi	rent	Number of Observable Stasis Ulcer(s):
			1 2 3	- - -	Zero One Two Three Four or more
	(M04				is patient have at least one <b>Stasis Ulcer that Cannot be Observed</b> due to the presence of movable dressing?
			0 1		No Yes
	(M04	76)	Stat	us (	of Most Problematic (Observable) Stasis Ulcer:
			2 3	-	Fully granulating Early/partial granulation Not healing No observable stasis ulcer
M0482	<b>2)</b> D	oes t	his p	atie	nt have a Surgical Wound?
		0 - 1 -		_	No, go to <i>M0490</i> ]
	(M04				<b>Number of (Observable) Surgical Wounds:</b> (If a wound is partially closed but has <u>more</u> e opening, consider each opening as a separate wound.)
			3	-	Zero One Two Three Four or more
	(M04				is patient have at least one <b>Surgical Wound that Cannot be Observed</b> due to the e of a nonremovable dressing?
			0 1		No Yes
	(M04	88)	Stat	us	of Most Problematic (Observable) Surgical Wound:
			2 3	-	Fully granulating Early/partial granulation Not healing No observable surgical wound

# **RESPIRATORY STATUS**

(M0490)	When is	the patient dyspneic or noticeably Short of Breath?
	1 -	Never, patient is not short of breath When walking more than 20 feet, climbing stairs With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
		With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation At rest (during day or night)
(M0500)	Respira	tory Treatments utilized at home: (Mark all that apply.)
_ _ _	2 - 3 -	Oxygen (intermittent or continuous) Ventilator (continually or at night) Continuous positive airway pressure None of the above
<u>ELIMINA</u>	TION ST	ATUS
(M0510)	Has this	patient been treated for a Urinary Tract Infection in the past 14 days?
	•	
(M0520)	Urinary	Incontinence or Urinary Catheter Presence:
	0 -	No incontinence or catheter (includes anuria or ostomy for urinary drainage) [ If No, go to M0540]
		Patient is incontinent Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [ Go to M0540 ]
(M0530)	When d	oes Urinary Incontinence occur?
	1 -	Timed-voiding defers incontinence During the night only During the day and night
(M0540)	Bowel I	ncontinence Frequency:
	1 - 2 - 3 - 4 - 5 -	Very rarely or never has bowel incontinence Less than once weekly One to three times weekly Four to six times weekly On a daily basis More often than once daily Patient has ostomy for bowel elimination
(M0550)		for Bowel Elimination: Does this patient have an ostomy for bowel elimination that (within the days) necessitated a change in medical or treatment regimen?
	0 - 1 - 2 -	Patient does <u>not</u> have an ostomy for bowel elimination.  Patient's ostomy did <u>not</u> necessitate change in medical or treatment regimen.  The ostomy did necessitate change in medical or treatment regimen.

## **NEURO/EMOTIONAL/BEHAVIORAL STATUS**

(M0560)		<b>ive Functioning:</b> (Patient's current level of alertness, orientation, comprehension, concentration, nediate memory for simple commands.)
	0 -	Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.
		Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions.
	3 -	
	4 -	Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.
(M0570)	When (	Confused (Reported or Observed):
	1 - 2 - 3 - 4 -	Never In new or complex situations only On awakening or at night only During the day and evening, but not constantly Constantly Patient nonresponsive
(M0580)	When A	Anxious (Reported or Observed):
	1 - 2 - 3 -	None of the time Less often than daily Daily, but not constantly All of the time Patient nonresponsive
(M0590)	Depres	sive Feelings Reported or Observed in Patient: (Mark all that apply.)
	2 - 3 - 4 - 5 -	Depressed mood (e.g., feeling sad, tearful) Sense of failure or self reproach Hopelessness Recurrent thoughts of death Thoughts of suicide None of the above feelings observed or reported
(M0600)	Patient	Behaviors (Reported or Observed): (Mark all that apply.)
0	2 - 3 - 4 - 5 - 6 -	Sleep disturbances Recent change in appetite or weight Agitation A suicide attempt

(MU61U)	Benavi	ors Demonstrated at Least Once a Week (Reported or Observed): (Mark all that apply.)
	1 -	Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
	2 -	Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
		Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.  Physical aggression: aggressive or combative to self and others (e.g., hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
	6 -	Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions)
(M0620)		ncy of Behavior Problems (Reported or Observed) (e.g., wandering episodes, self abuse, verbal on, physical aggression, etc.):
	1 1 - 1 2 - 1 3 - 1 4 -	Never Less than once a month Once a month Several times each month Several times a week At least daily
(M0630)	l 0 -	
	1 -	Yes
<u>ADL/I</u>	<u>ADLs</u>	
For M0	640-M08	00, record what the patient currently is <i>able to do</i> .
(M0640)		ing: Ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or p, teeth or denture care, fingernail care).
	1 - 2 -	1 5
(M0650)	-	to Dress <u>Upper</u> Body (with or without dressing aids) including undergarments, pullovers, front- g shirts and blouses, managing zippers, buttons, and snaps:
	0 -	Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
	2 -	Able to dress upper body without assistance if clothing is laid out or handed to the patient. Someone must help the patient put on upper body clothing. Patient depends entirely upon another person to dress the upper body.
(M0660)	Ability nylons,	to Dress <u>Lower</u> Body (with or without dressing aids) including undergarments, slacks, socks or shoes:
		Able to obtain, put on, and remove clothing and shoes without assistance.  Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
	2 -	Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.  Patient depends entirely upon another person to dress lower body.

(IVIUO1U)	Datilli	3. Ability to wash entire body. Excludes grooming (washing face and hands only).
	1 -	Able to bathe in shower or tub with the assistance of another person:  (a) for intermittent supervision or encouragement or reminders, <u>OR</u> (b) to get in and out of the shower or tub, <u>OR</u>
_ _		<ul> <li>(c) for washing difficult to reach areas.</li> <li>Participates in bathing self in shower or tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision.</li> <li>Unable to use the shower or tub and is bathed in bed or bedside chair.</li> </ul>
ō		Unable to effectively participate in bathing and is totally bathed by another person.
(M0680)	Toiletin	g: Ability to get to and from the toilet or bedside commode.
	1 -	Able to get to and from the toilet independently with or without a device.  When reminded, assisted, or supervised by another person, able to get to and from the toilet. <u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance).
_	Transfe	rring: Ability to move from bed to chair, on and off toilet or commode, into and out of tub or and ability to turn and position self in bed if patient is bedfast.
	1 - 2 - 3 - 4 -	Able to independently transfer.  Transfers with minimal human assistance or with use of an assistive device. <u>Unable</u> to transfer self but is able to bear weight and pivot during the transfer process.  Unable to transfer self and is <u>unable</u> to bear weight or pivot when transferred by another person.  Bedfast, unable to transfer but is able to turn and position self in bed.  Bedfast, unable to transfer and is <u>unable</u> to turn and position self.
(M0700)		<b>ation/Locomotion:</b> Ability to <u>SAFELY</u> walk, once in a standing position, or use a wheelchair, once ted position, on a variety of surfaces.
0	1 -	,,,,,,,,,,,,,,
□ (M0710)	Feeding	Bedfast, unable to ambulate or be up in a chair.  g or Eating: Ability to feed self meals and snacks. Note: This refers only to the process of chewing, and swallowing, not preparing the food to be eaten.
		Able to independently feed self. Able to feed self independently but requires: (a) meal set-up; OR (b) intermittent assistance or supervision from another person; OR (c) a liquid, pureed or ground meat diet.
		<u>Unable</u> to feed self and must be assisted or supervised throughout the meal/snack.
		<u>Unable</u> to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.

(1010720	)	Plan	ının	g and Preparing Light Meals (e.g., cereal, sandwich) or reneat delivered meals:
	]	0	-	<ul><li>(a) Able to independently plan and prepare all light meals for self or reheat delivered meals; <u>OR</u></li><li>(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).</li></ul>
	]			<u>Unable</u> to prepare light meals on a regular basis due to physical, cognitive, or mental limitations. Unable to prepare any light meals or reheat any delivered meals.
(M0730	-	<b>Tra</b> r subv	_	<b>prtation:</b> Physical and mental ability to <u>safely</u> use a car, taxi, or public transportation (bus, train, ).
	]	0	-	Able to independently drive a regular or adapted car; <u>OR</u> uses a regular or handicap-accessible public bus.
	]	1	-	Able to ride in a car only when driven by another person; <u>OR</u> able to use a bus or handicap van only when assisted or accompanied by another person.
	]	2	-	<u>Unable</u> to ride in a car, taxi, bus, or van, and requires transportation by ambulance.
(M0740)				y: Ability to do own laundry to carry laundry to and from washing machine, to use washer and wash small items by hand.
	]		-	<ul> <li>(a) Able to independently take care of all laundry tasks; <u>OR</u></li> <li>(b) Physically, cognitively, and mentally able to do laundry and access facilities, <u>but</u> has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).</li> <li>Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical,</li> </ul>
_		1		cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.
	]	2	-	<u>Unable</u> to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.
(M0750	)	Hou	sek	eeping: Ability to safely and effectively perform light housekeeping and heavier cleaning tasks.
Г	]	0	-	<ul><li>(a) Able to independently perform all housekeeping tasks; <u>OR</u></li><li>(b) Physically, cognitively, and mentally able to perform <u>all</u> housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admission).</li></ul>
	]	1	-	Able to perform only <u>light</u> housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.
	]	2	-	Able to perform housekeeping tasks with intermittent assistance or supervision from another person.
	]	3	-	<u>Unable</u> to consistently perform any housekeeping tasks unless assisted by another person throughout the process.
	]	4	-	Unable to effectively participate in any housekeeping tasks.
(M0760		<b>Sho</b> deliv		<b>ng:</b> Ability to plan for, select, and purchase items in a store and to carry them home or arrange.
[	]	0	-	<ul><li>(a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; <u>OR</u></li><li>(b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping</li></ul>
	]	1	-	in the past (i.e., prior to this home care admission).  Able to go shopping, but needs some assistance:  (a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; OR
	3	2	-	(b) <u>Unable</u> to go shopping alone, but can go with someone to assist. <u>Unable</u> to go shopping, but is able to identify items needed, place orders, and arrange home delivery.
Г	7	3	_	Needs someone to do all shopping and errands

(M0770)		<b>Ability</b> commu	<b>to Use Telephone:</b> Ability to answer the phone, dial numbers, and <u>effectively</u> use the telephone to nicate.
			Able to dial numbers and answer calls appropriately and as desired.  Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
	]	2 -	Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
	]	3 -	Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
	]	5 -	<u>Unable</u> to answer the telephone at all but can listen if assisted with equipment.  Totally unable to use the telephone.  Patient does not have a telephone.
MED			
(M0780)	!	reliably	ement of Oral Medications: Patient's ability to prepare and take all prescribed oral medications and safely, including administration of the correct dosage at the appropriate times/intervals.  es injectable and IV medications. (NOTE: This refers to ability, not compliance or ness.)
	3	0 -	Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.
	]	1 -	Able to take medication(s) at the correct times if:  (a) individual dosages are prepared in advance by another person; OR  (b) given daily reminders; OR  (c) someone develops a drug diary or chart.
	_		Unable to take medication unless administered by someone else.  No oral medications prescribed.
(M0790)	,		ement of Inhalant/Mist Medications: Patient's ability to prepare and take all prescribed t/mist medications (nebulizers, metered dose devices) reliably and safely, including administration orrect dosage at the appropriate times/intervals. Excludes all other forms of medication (oral, injectable and IV medications).
			Able to independently take the correct medication and proper dosage at the correct times.  Able to take medication at the correct times if:  (a) individual dosages are prepared in advance by another person, OR
	]		<ul><li>(b) given daily reminders.</li><li><u>Unable</u> to take medication unless administered by someone else.</li><li>No inhalant/mist medications prescribed.</li></ul>
(M0800)		medica	ement of Injectable Medications: Patient's ability to prepare and take all prescribed injectable tions reliably and safely, including administration of correct dosage at the appropriate itervals. Excludes IV medications.
<u> </u>	=		Able to independently take the correct medication and proper dosage at the correct times.  Able to take injectable medication at correct times if:  (a) individual syringes are prepared in advance by another person, OR
	]		<ul><li>(b) given daily reminders.</li><li><u>Unable</u> to take injectable medications unless administered by someone else.</li><li>No injectable medications prescribed.</li></ul>

## **EQUIPMENT MANAGEMENT**

(M0810)	nutritio safely, a	Management of Equipment (includes <u>ONLY</u> oxygen, IV/infusion therapy, enteral/parenteral nequipment or supplies): <u>Patient's ability</u> to set up, monitor and change equipment reliably and add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper up. (NOTE: This refers to ability, not compliance or willingness.)		
	0 - 1 -	Patient manages all tasks related to equipment completely independently.  If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment.		
	2 -	Patient requires considerable assistance from another person to manage equipment, but independently completes portions of the task.		
		Patient is only able to monitor equipment (e.g., liter flow, fluid in bag) and must call someone else to manage the equipment.  Patient is completely dependent on someone else to manage all equipment.		
	NA -	No equipment of this type used in care [ If NA, go to M0830 ]		
(M0820)	Caregiver Management of Equipment (includes <u>ONLY</u> oxygen, IV/infusion equipment, enteral/parenteral nutrition, ventilator therapy equipment or supplies): <u>Caregiver's ability</u> to set up, monitor, and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. (NOTE: This refers to ability, not compliance or willingness.)			
	1 -	Caregiver manages all tasks related to equipment completely independently.  If someone else sets up equipment, caregiver is able to manage all other aspects.  Caregiver requires considerable assistance from another person to manage equipment, but independently completes significant portions of task.		
	3 -	Caregiver is only able to complete small portions of task (e.g., administer nebulizer treatment, clean/store/dispose of equipment or supplies).  Caregiver is completely dependent on someone else to manage all equipment.		
		No caregiver		
<u>EMER</u>	<u>GEN</u>	T CARE		
		ent Care: Since the last time OASIS data were collected, has the patient utilized any of the g services for emergent care (other than home care agency services)? (Mark all that apply.)		
	1 - 2 -	No emergent care services [If no emergent care, skip M0840] Hospital emergency room (includes 23-hour holding) Doctor's office emergency visit/house call		
_		Outpatient department/clinic emergency (includes urgicenter sites) Unknown [ If UK, skip M0840 ]		
(M0840)	Emerge apply.)	ent Care Reason: For what reason(s) did the patient/family seek emergent care? (Mark all that		
	1 - 2 - 3 - 4 -	Improper medication administration, medication side effects, toxicity, anaphylaxis Nausea, dehydration, malnutrition, constipation, impaction Injury caused by fall or accident at home Respiratory problems (e.g., shortness of breath, respiratory infection, tracheobronchial		
	6 - 7 - 8 - 9 -	obstruction) Wound infection, deteriorating wound status, new lesion/ulcer Cardiac problems (e.g., fluid overload, exacerbation of CHF, chest pain) Hypo/Hyperglycemia, diabetes out of control GI bleeding, obstruction Other than above reasons Reason unknown		